

## CHAPTER AND TOPIC INDEX, VOLUMES 1–116

Many chapters contain brief discussions of reactions and comparisons of alternative synthetic methods related to the reaction that is the subject of the chapter. These related reactions and alternative methods are not usually listed in this index. In this index, the volume number is in **boldface**, the chapter number is in ordinary type.

- Acetoacetic ester condensation, **1**, 9
- Acetylenes:
- cotrimerizations of, **68**, 1
  - oxidations by dioxirane, **69**, 1
  - reactions with Fischer carbene complexes, phenol and quinone formation, **70**, 2
  - synthesis of, **5**, 1; **23**, 3; **32**, 2
- Achmatowicz reaction, **87**, 1
- Acid halides:
- reactions with esters, **1**, 9
  - reactions with organometallic compounds, **8**, 2
- $\alpha$ -Acylamino acid mixed anhydrides, **12**, 4
- $\alpha$ -Acylamino acids, azlactonization of, **3**, 5
- Acylation:
- enantioselective, **104**, 1
  - intramolecular, to form cyclic ketones, **2**, 4; **23**, 2
  - of esters with acid chlorides, **1**, 9
  - of ketones to form diketones, **8**, 3
- Acyl fluorides, synthesis of, **21**, 1; **34**, 2; **35**, 3
- Acyl hypohalites, reactions of, **9**, 5
- Acyloins, **4**, 4; **15**, 1; **23**, 2
- Alcohols:
- conversion to fluorides, **21**, 1, 2; **34**, 2; **35**, 3
  - conversion to olefins, **12**, 2
  - deoxygenation of, **77**, 2
  - oxidation of, **6**, 5; **39**, 3; **53**, 1; **74**, 2
  - replacement of hydroxyl group by nucleophiles, **29**, 1; **42**, 2
  - resolution of, **2**, 9
- Alcohols, synthesis:
- by allylstannane addition to aldehydes, **64**, 1
  - by aminooxygenation of alkenes, **108**, 2
  - by base-promoted isomerization of epoxides, **29**, 3
  - by hydroboration, **13**, 1
  - by hydroxylation of ethylenic compounds, **7**, 7
  - by organochromium reagents to carbonyl compounds, **64**, 3
  - by reduction, **6**, 10; **8**, 1; **71**, 1
  - from organoboranes, **33**, 1; **73**, 1
  - of propargylic alcohols, **100**, 4
- Aldehydes, additions of allyl, allenyl, propargyl stannanes, **64**, 1
- addition of allylic boron compounds, **73**, 1
  - addition of perfluoroalkyl reagents, **91**, 1
- Aldehydes, catalyzed addition to double bonds, **40**, 4
- Aldehydes, dimerization by alkoxides, **86**, 2
- Aldehydes, synthesis of, **4**, 7; **5**, 10; **8**, 4, 5; **9**, 2; **33**, 1; **107**, 1
- Aldimines, **99**, 1

- Aldol condensation, **16**, 1; **67**, 1  
catalytic, enantioselective, **67**, 1  
directed, **28**, 3  
with boron enolates, **51**, 1
- Aldol reactions, **98**, 2
- Aldol-Tishchenko reaction, **86**, 2
- Aliphatic fluorides, **2**, 2; **21**, 1, 2; **34**, 2; **35**, 3
- Alkaloids as catalysts for enantioselective Michael reactions, **90**, 1
- Alkanes: by reduction of alkyl halides with organochromium reagents, **64**, 3  
of carbonyl groups with organosilanes, **71**, 1  
oxidation of, **69**, 1  
via alcohol deoxygenation, **77**, 2
- Alkenes:  
aminoxygenation of, **108**, 2  
arylation, **11**, 3; **24**, 3; **27**, 2  
asymmetric dihydroxylation of, **66**, 2  
carbozincation of, **87**, 3  
copper-boryl additions, **100**, 15  
cross-metathesis of, **106**, 1  
cyclopropanes from, **20**, 1  
cyclization in intramolecular Heck reactions, **60**, 2  
from carbonyl compounds with organochromium reagents, **64**, 3  
dioxirane epoxidation of, **61**, 2  
epoxidation and hydroxylation of, **7**, 7  
epoxidation of electron-deficient, **74**, 3  
free-radical additions to, **13**, 3, 4  
halofunctionalization of, **105**, 1  
hydroamination of, **88**  
hydroboration of, **13**, 1  
hydrocyanation of, **75**, 1  
hydrogenation with homogeneous catalysts, **24**, 1  
oxidation with palladium catalyst, **84**, 2  
perfluoroalkylation of, **91**, 1  
reactions with diazoacetic esters, **18**, 3  
reactions with nitrones, **36**, 1  
reduction by:  
alkoxyaluminum hydrides, **34**, 1  
diimides, **40**, 2  
organosilanes, **71**, 1  
perfluoroalkylation of, **91**, 1
- Alkenes, synthesis:  
by addition of sulfones to carbonyl compounds, **95**, 1  
by Bamford-Stevens reaction, **23**, 3  
by Claisen and Cope rearrangements, **22**, 1  
by dehydrocyanation of nitriles, **31**  
by deoxygenation of vicinal diols, **30**, 2  
by deoxygenative coupling of carbonyl compounds, **82**, 1  
by Julia-Kocienski olefination, **95**, 1  
by palladium-catalyzed vinylation, **27**, 2  
by pyrolysis of xanthates, **12**, 2  
by McMurray reaction, **82**, 1  
by Wittig reaction, **14**, 3  
from amines, **11**, 5  
from aryl and vinyl halides, **27**, 2  
from  $\alpha$ -halosulfones, **25**, 1; **62**, 2  
from phosphoryl-stabilized anions, **25**, 2  
from silicon-stabilized anions, **38**, 1  
from tosylhydrazones, **23**, 3; **39**, 1  
from twofold extrusion reactions, **78**, 3
- Alkenyl- and alkynylaluminum reagents, **32**, 2
- Alkenyl-electrophiles, **83**, 1  
lithium reagents, formation of, **39**, 1  
silanes, **75**, 3  
trifluoroborates, **79**, 1
- Alkoxyaluminum hydride reductions, **34**, 1; **36**, 3
- Alkoxyphosphonium cations, nucleophilic displacements on, **29**, 1
- Alkoxysilanes, **75**, 3
- Alkylation:  
of allyl alcohol esters, **84**, 1  
of allylic and benzylic carbanions, **27**, 1  
with amines and ammonium salts, **7**, 3  
of aromatic compounds, **3**, 1  
of esters and nitriles, **9**, 4  
 $\gamma$ -, of dianions of  $\beta$ -dicarbonyl compounds, **17**, 2  
iridium-catalyzed allylic, **99**, 2  
of metallic acetylides, **5**, 1  
of nitrile-stabilized carbanions, **31**, 1  
with organopalladium complexes, **27**, 2
- Alkyl azides, use in Schmidt Reaction, **78**, 1
- Alkylidenation by titanium-based reagents, **43**, 1
- Alkylidenesuccinic acids, synthesis and reactions of, **6**, 1
- Alkylidene triphenylphosphoranes, synthesis and reactions of, **14**, 3

- Alkylidyne, **102**, 2
- Alkynes
- alkyne-metal complexes, **103**, 3
  - cross coupling, **116**, 1
  - cycloisomerizations with alkenes and arenes, **92**, 1
  - hydroamination of, **88**, 1
  - hydroarylation of, **103**, 1
  - hydrocyanation of, **75**, 1
  - hydrozincation of, **87**, 3
  - hydrozirconation of, **113**, 2
  - metathesis, **102**, 2
  - perfluoroalkylation of, **91**, 1
- Alkynyl:
- silanes, **75**, 3
  - trifluoroborates, **79**, 1
- Allenes, hydroamination of, **88**, 1
- Allenyl esters, azide additions, **92**, 2
- Allenylsilanes, electrophilic substitution reactions of, **37**, 2
- Allylboration of carbonyl compounds, **73**, 1
- Allylic alcohols, synthesis:
- from epoxides, **29**, 3
  - by Wittig rearrangement, **46**, 2
- Allylic amines, **83**, 2
- Allylic and benzylic carbanions, heteroatom-substituted, **27**, 1
- Allylic cations, **115**, 1
- Allylic hydroperoxides, in photooxygenations, **20**, 2
- Allylic rearrangements, transformation of glycols into 2,3-unsaturated glycosyl derivatives, **62**, 4
- Allylic rearrangements, trihaloacetimidate, **66**, 1
- $\pi$ -Allylnickel complexes, **19**, 2
- Allylphenols, synthesis by Claisen rearrangement, **2**, 1; **22**, 1
- Allylsilanes, **75**, 3
- Allylsilanes, electrophilic substitution reactions of, **37**, 2
- Allylstannanes, **110**, 1
- Allyl transfer reactions, **73**, 1
- Aluminum alkoxides:
- in Meerwein-Ponndorf-Verley reduction, **2**, 5
  - in Oppenauer oxidation, **6**, 5
- Amides:
- arylation of, **85**, 1
  - cyclopropanation of, **77**, 1
  - formation by oxime rearrangement, **35**, 1
  - from ketones, **78**, 1
  - in hydroamination of alkenes, **88**, 1
  - synthesis, **97**, 2
- $\alpha$ -Amidoalkylations at carbon, **14**, 2
- Amination:
- electrophilic, of carbanions and enolates, **72**, 1
  - of alkenes, **88**, 1
  - of aryl halides, **100**, 14
  - of heterocyclic bases by alkali amides, **1**, 4
  - of hydroxy compounds by Bucherer reaction, **1**, 5
- Amine oxides:
- Polonovski reaction of, **39**, 2
  - pyrolysis of, **11**, 5
- Amines:
- $\beta$ -phenethylamines, **114**, 1
  - N*-arylation of, **85**, 1
  - from allylstannane addition to imines, **64**, 1
  - from carbocations, **78**, 1
  - from carboxylic acids, **3**, 9; **78**, 1
  - from chiral *N*-sulfinyl imines, **99**, 1
  - oxidation of, **69**, 1
  - perfluoroalkylation of, **91**, 1
  - synthesis from organoboranes, **33**, 1
  - synthesis by hydroamination of alkenes, **88**, 1
  - synthesis by reductive alkylation, **4**, 3; **5**, 7
  - synthesis by Zinin reaction, **20**, 4
  - reactions with cyanogen bromide, **7**, 4
- $\alpha$ -Amino acid derivatives,
- from borono-Mannich reactions, **83**, 2
- $\alpha$ -Amino acid synthesis,
- by olefin ring-closing metathesis, **89**, 1
  - by the Strecker reaction, **70**, 1
- $\alpha$ -Aminoalkylation of activated olefins, **51**, 2
- $\alpha$ -Amino ketones,
- from borono-Mannich reactions, **83**, 2
  - from oxime derivatives, **78**, 2
- Aminoxygenation of alkenes, **108**, 2
- Aminophenols from anilines, **35**, 2
- Anhydrides of aliphatic dibasic acids, Friedel-Crafts reaction with, **5**, 5
- Anion-assisted sigmatropic rearrangements, **43**, 2

- Annulation reactions, **107**, 2  
Anthracene homologs, synthesis of, **1**, 6  
Anti-Markownikoff hydration of alkenes, **13**, 1  
Arene synthesis, **109**, 1  
 $\pi$ -Arenechromium tricarbonyls, reaction with nitrile-stabilized carbanions, **31**, 1  
 $\eta^6$ -(Arene)chromium complexes, **67**, 2  
Arndt-Eistert reaction, **1**, 2  
Aromatic aldehydes, synthesis of, **5**, 6; **28**, 1  
Aromatic compounds:  
  chloromethylation of, **1**, 3  
  polycyclic, **107**, 2  
Aromatic fluorides, synthesis of, **5**, 4  
Aromatic hydrocarbons, synthesis of, **1**, 6; **30**, 1  
Aromatic substitution by the  $S_{RN}1$  reaction, **54**, 1  
Arsinic acids, **2**, 10  
Arsonic acids, **2**, 10  
Arylacetic acids, synthesis of, **1**, 2; **22**, 4  
 $\beta$ -Arylacrylic acids, synthesis of, **1**, 8  
Aryl amines, reactions of, **1**, 5; **85**, 1  
Arylation:  
  by aryl halides, **27**, 2  
  by copper catalysis, **85**, 1  
  by diazonium salts, **11**, 3; **24**, 3  
   $\gamma$ -, of dianions of  $\beta$ -dicarbonyl compounds, **17**, 2  
  of alkenes, **11**, 3; **24**, 3; **27**, 2; **93**, 1  
  of enolates, **76**, 2  
  of ketones, **76**, 2  
  of nitrile-stabilized carbanions, **31**, 1  
Aryl diazoacetates, **75**, 2  
Arylglyoxals, condensation with aromatic hydrocarbons, **4**, 5  
Aryl halides,  
  amination of, **100**, 14  
  cross-coupling, **83**, 1  
  homocoupling of, **63**, 3  
  in hydroarylation of alkynes, **103**, 1  
Arylsilanes, **75**, 3  
Arylsulfonic acids, synthesis of, **3**, 4  
Aryl thiocyanates, **3**, 6  
Aryltrifluoroborates, **79**, 1  
Asymmetric aldol reactions using boron enolates, **51**, 1  
Asymmetric catalysis, **100**, 6  
Asymmetric coupling, **113**, 1  
Asymmetric cyclopropanation, **57**, 1  
Asymmetric deprotonation with chiral lithium amides, **79**, 2  
Asymmetric dihydroxylation, **66**, 2  
Asymmetric enyne cycloisomerizations, **92**, 1  
Asymmetric epoxidation, **48**, 1; **61**, 2; **74**, 3  
Asymmetric functionalization, **105**, 1  
Asymmetric hydroamination of alkenes, **88**, 1  
Asymmetric hydrocyanation, **75**, 1  
Asymmetric hydrogenation of C=N, **74**, 1  
Asymmetric induction, **105**, 2  
Asymmetric Michael reactions, **90**, 1  
Asymmetric reduction, **71**, 1  
Asymmetric rhodium-catalyzed 1,4 additions of organoboranes to electron-deficient alkenes, **93**, 1  
Asymmetric Strecker reaction, **70**, 1  
Asymmetric synthesis, **110**, 2  
Atom transfer formation of radicals, **48**, 2  
Aza-Achmatowicz reaction, **87**, 1  
Aza-Cope/Mannich reaction, **75**, 4  
Aza-Payne rearrangements, **60**, 1  
Azaphenanthrenes, synthesis by photocyclization, **30**, 1  
Azides, synthesis and rearrangement of, **3**, 9; **92**, 2  
2*H*-Azirines, from Neber rearrangement of oxime derivatives, **78**, 2  
  intermediates in vinyl azide cyclizations, **92**, 2  
Azlactones, **3**, 5  
Azomethine imines, **103**, 2  
Baeyer-Villiger reaction, **9**, 3; **43**, 3  
Bamford-Stevens reaction, **23**, 3  
Barbier Reaction, **58**, 2  
Bart reaction, **2**, 10  
Barton fragmentation reaction, **48**, 2  
Barton-McCombie reaction, **77**, 2  
Béchamp reaction, **2**, 10  
Beckmann rearrangement, **11**, 1; **35**, 1  
Benzils, reduction of, **4**, 5  
Benzoin condensation, **4**, 5  
Benzoquinones:  
  acetoxylation of, **19**, 3  
  in Nenitzescu reaction, **20**, 3  
  synthesis of, **4**, 6

- Benzylic carbanions, **27**, 1; **67**, 2  
Benzylic deprotonations, **79**, 2  
Benzyl:  
  silanes, **75**, 3  
  trifluoroborates, **79**, 1  
Biaryls, synthesis of, **2**, 6; **63**, 3; **79**, 1  
Bicyclobutanes, from cyclopropenes, **18**, 3  
Biginelli dihydropyrimidine synthesis, **63**, 1  
Birch reaction, **23**, 1; **42**, 1  
Bischler-Napieralski reaction, **6**, 2  
Bis(chloromethyl) ether, **1**, 3; **19**, *warning*  
Borane reagents, for allylic transfer, **73**, 1  
  rhodium-catalyzed 1,4-additions to  
  electron-deficient alkenes, **93**, 1  
Borohydride reduction, chiral, **52**, 2  
  in reductive amination, **59**, 1  
Boron-boron bonds:  
  activation of, **105**, 2  
Boron enolates, **51**, 1  
Boron-containing heterocycles synthesis,  
  by olefin ring-closing metathesis, **89**, 1  
Boronic acid Mannich reaction, **83**, 2  
  1,4-additions to electron-deficient  
  alkenes, **93**, 1  
Boronic ester, **105**, 3  
Boyland-Sims oxidation, **35**, 2  
Breslow intermediates, **106**, 2  
Brook Rearrangement, **102**, 1  
Bucherer reaction, **1**, 5; **85**, 1  
Butenolides from furan oxidation, **87**, 1  
  
Cadogan-Sundberg reaction, **111**, 2  
Cannizzaro reaction, **2**, 3  
Carbanion, electrophilic amination, **72**, 1  
Carbazole synthesis,  
  by aryl azide cyclization, **92**, 2  
  by reductive cyclization, **111**, 2  
Carbenes, **13**, 2; **26**, 2; **28**, 1  
Carbene complexes in phenol and quinone  
  synthesis, **70**, 2  
Carbenoids,  
  in cyclopropanation, **57**, 1; **58**, 1; **77**, 1  
  intermolecular C–H insertions of, **75**, 2  
Carbocycles, synthesis by ring-closing  
  metathesis, **89**, 1  
Carbohydrates, deoxy, synthesis of, **30**, 2  
Carbometalliccupration, **41**, 2  
Carbon-carbon bond formation:  
  by acetoacetic ester condensation, **1**, 9  
  by acyloin condensation, **23**, 2  
  by aldol condensation, **16**, 1; **28**, 3; **46**, 1;  
  **67**, 1  
  by alkylation of allyl alcohol esters, **84**, 1  
  by alkylation with amines and  
  ammonium salts, **7**, 3  
  by  $\gamma$ -alkylation and arylation, **17**, 2  
  by allylic and benzylic carbanions, **27**, 1  
  by amidoalkylation, **14**, 2  
  by Cannizzaro reaction, **2**, 3  
  by C–H activation reactions, **100**, 11  
  by C–H insertion reaction, **80**, 1  
  by Claisen rearrangement, **2**, 1; **22**, 1  
  by Cope rearrangement, **22**, 1  
  by cross-coupling with  
  organotrifluoroborate salts, **79**, 1  
  transition-metal catalysts, **113**, 1  
  by cyclopropanation reaction, **13**, 2; **20**, 1  
  by Darzens condensation, **5**, 10  
  by diazonium salt coupling, **10**, 1; **11**, 3;  
  **24**, 3  
  by Dieckmann condensation, **15**, 1  
  by Diels-Alder reaction, **4**, 1, 2; **5**, 3; **32**, 1  
  by free-radical additions to alkenes, **13**, 3  
  by Friedel-Crafts reaction, **3**, 1; **5**, 5  
  by Knoevenagel condensation, **15**, 2  
  by Mannich reaction, **1**, 10; **7**, 3  
  by metallaphotoredox catalysis, **100**, 8  
  by Michael addition, **10**, 3; **90**, 1  
  by nitrile-stabilized carbanions, **31**, 1  
  by nitron [3 + 2] cycloadditions with  
  alkenes; **94**, 1  
  by organoboranes and organoborates,  
  **33**, 1; **100**, 9  
  by organocopper reagents, **19**, 1; **38**, 2;  
  **41**, 2  
  by organopalladium complexes, **27**, 2;  
  **100**, 9  
  by organozinc reagents, **20**, 1; **100**, 1  
  by rearrangement of  $\alpha$ -halo sulfones,  
  **25**, 1; **62**, 2  
  by Reformatsky reaction, **1**, 1; **28**, 3  
  by rhodium-catalyzed 1,4-addition of  
  organoboranes to electron-deficient  
  alkenes, **93**, 1  
  by trivalent manganese, **49**, 3  
  by Vilsmeier reaction, **49**, 1; **56**, 2  
  by vinylcyclopropane-cyclopentene  
  rearrangement, **33**, 2

- Carbon-fluorine bond formation, **21**, 1;  
**34**, 2; **35**, 3; **69**, 2; **100**, 12; **104**, 3
- Carbon-halogen bond formation,  
by replacement of hydroxyl groups, **29**, 1
- Carbon-heteroatom bond formation:  
by free-radical chain additions to  
carbon-carbon multiple bonds, **13**, 4  
by organoboranes and organoborates,  
**33**, 1
- Carbon-nitrogen bond formation,  
by copper-catalyzed arylation and  
vinylation, **85**, 1  
by hydroamination of alkenes, **88**, 1  
by reductive amination, **59**, 1
- Carbon-phosphorus bond formation, **36**, 2
- Carbonyl compounds, addition of  
organochromium reagents, **64**, 3
- Carbonyl compounds,  $\alpha,\beta$ -unsaturated:  
formation by Meyer–Schuster  
rearrangement, **115**, 2  
formation by Saegusa reaction, **98**, 1  
formation by selenoxide elimination,  
**44**, 1  
vicinal difunctionalization of, **38**, 2
- Carbonyl compounds, from nitro  
compounds, **38**, 3  
in the Passerini Reaction, **65**, 1  
oxidation with hypervalent iodine  
reagents, **54**, 2  
reactions with allylic boron compounds,  
**73**, 1  
reductive amination of, **59**, 1
- Carbonyl ylides from diazo carbonyl  
compounds, **80**, 2
- Carbonylation as part of intramolecular  
Heck reaction, **60**, 2
- Carboxylic acids  
synthesis from furan oxidation, **87**, 1  
synthesis from organoboranes, **33**, 1  
reaction with organolithium reagents,  
**18**, 1
- Carboxylic acid derivatives,  
conversion to fluorides, **21**, 1, 2; **34**, 2;  
**35**, 3  
cyclopropanation of, **77**, 1
- Carbozincation, **87**, 3
- Cascade reactions, **104**, 2
- Catalysis:  
by gold, platinum, palladium, **115**, 1  
by manganese, iron, cobalt, **100**, 7
- Catalytic asymmetric allylic alkylation, **84**, 1
- Catalytic asymmetric hydrogenation of C=N  
functions, **74**, 1
- Catalytic enantioselective aldol addition,  
**67**, 1
- Catalytic enantioselective ketene  
cycloadditions, **82**, 2
- Catalytic enantioselective Michael reaction,  
**90**, 1
- Catalytic transfer hydrogenation, **100**, 6
- C–H functionalization, **75**, 2; **80**, 1; **100**, 10;  
**100**, 11
- C–H insertions,  
intramolecular with carbenoids, **80**, 1  
intermolecular with carbenoids, **75**, 2
- Chapman rearrangement, **14**, 1; **18**, 2
- Chelation assistance, **100**, 10
- Chemical protein synthesis, **97**, 2
- Chemoselective ligation, **97**, 2
- Chiral lithium amides, **79**, 2
- Chiral ligands:  
catalytic enantioselective Michael  
Reactions, **90**, 1; **93**, 1  
enantioselective hydroformylation of  
alkenes, **107**, 1
- Chloromethylation of aromatic compounds,  
**2**, 3; **9**, *warning*
- Cholanthrenes, synthesis of, **1**, 6
- Chromium reagents, **64**, 3; **67**, 2
- Chugaev reaction, **12**, 2; **77**, 2
- Claisen condensation, **1**, 8
- Claisen rearrangement, **2**, 1; **22**, 1
- Cleavage:  
of benzyl-oxygen, benzyl-nitrogen, and  
benzyl-sulfur bonds, **7**, 5  
of carbon-carbon bonds by periodic acid,  
**2**, 8  
of esters via  $S_N2$ -type dealkylation, **24**, 2  
of non-enolizable ketones with sodium  
amide, **9**, 1  
in sensitized photooxidation, **20**, 2
- Clemmensen reduction, **1**, 7; **22**, 3
- Cloke–Wilson Rearrangement, **114**, 1
- Collins reagent, **53**, 1
- Combinatorial chemistry, **112a**, **112b**
- Condensation:  
acetoacetic ester, **1**, 9  
acyloin, **4**, 4; **23**, 2  
aldol, **16**, 1  
benzoin, **4**, 5

- Biginelli, **63**, 1  
Claisen, **1**, 8  
Darzens, **5**, 10; **31**  
Dieckmann, **1**, 9; **6**, 9; **15**, 1  
directed aldol, **28**, 3  
Knoevenagel, **1**, 8; **15**, 2  
Stobbe, **6**, 1  
Thorpe-Ziegler, **15**, 1; **31**  
Conjugate additions:  
of hydrogen cyanide, **25**, 3; **75**, 1  
of organocopper reagents, **19**, 1; **41**, 2  
of organoboranes to electron-deficient alkenes by rhodium catalysis, **93**, 1  
Conjugated systems, **116**, 1  
Cope rearrangement, **22**, 1; **41**, 1; **43**, 2  
Copper acetylide, **114**, 2  
Copper-catalyzed arylation:  
of active methylenes, **76**, 2  
of nitrogen nucleophiles, **85**, 1  
Copper-catalyzed preparation of indoles by cyclization, **76**, 3  
Copper-Grignard complexes, conjugate additions of, **19**, 1; **41**, 2  
Corey-Winter reaction, **30**, 2  
Coumarins, synthesis of, **7**, 1; **20**, 3  
Cross-coupling reactions with:  
alkenylzirconocene, **113**, 2  
copper catalysis, **85**, 1  
iron catalysts, **83**, 1  
metallaphotoredox catalysis, **100**, 8  
organosilicon compounds, **75**, 3  
organostannanes, **50**, 1  
organotrifluoroborate salts, **79**, 1  
organozinc reagents, **100**, 1  
Suzuki-Miyaura reaction, **100**, 9  
terminal alkynes, **116**, 1  
transition-metal catalysts, **113**, 1  
Cross-metathesis reactions:  
alkenes, **106**, 1  
Cuprate reagents, **19**, 1; **38**, 2; **41**, 2  
Curtius rearrangement, **3**, 7, 9  
Cyanation, of *N*-heteroaromatic compounds, **70**, 1  
perfluoroalkyl carbanions, **91**, 1  
Cyanoborohydride, in reductive aminations, **59**, 1  
Cyanoethylation, **5**, 2  
Cyanogen bromide, reactions with tertiary amines, **7**, 4  
Cyclic amino acids and peptidomimetics, synthesis by olefin ring-closing metathesis, **89**, 1  
Cyclic ketones, formation by intramolecular acylation, **2**, 4; **23**, 2  
Cyclic nitrones, [3 + 2]cycloadditions with alkenes, **94**, 1  
Cyclization:  
of alkyl dihalides, **19**, 2  
of aryl-substituted aliphatic acids, acid chlorides, and anhydrides, **2**, 4; **23**, 2  
of  $\alpha$ -carbonyl carbenes and carbenoids, **26**, 2  
cycloheptenones from  $\alpha$ -bromo ketones, **29**, 2  
of diesters and dinitriles, **15**, 1  
Fischer indole, **10**, 2  
intramolecular by acylation, **2**, 4  
intramolecular by acyloin condensation, **4**, 4  
intramolecular by Diels-Alder reaction, **32**, 1  
intramolecular by Heck reaction, **60**, 2  
intramolecular by Michael reaction, **47**, 2  
Nazarov, **45**, 1  
of nitrogen-centered radicals, **108**, 1  
by radical reactions, **48**, 2; **108**, 1  
reductive, **111**, 2  
of stilbenes, **30**, 1  
tandem cyclization by Heck reaction, **60**, 2  
of unsaturated amines, **88**  
Cycloaddition reactions,  
[2 + 2], **82**, 2; **87**, 2; **95**, 2  
[2 + 2 + 2], **97**, 1  
[3 + 2], **61**, 1; **80**, 2; **94**, 1; **103**, 2  
[4 + 2], **4**, 1, 2; **32**, 1; **65**, 2; **82**, 2; **101**, 1  
[4 + 3], **51**, 3; **115**, 1  
[6 + 4], **49**, 2  
of alkynes, **97**, 1  
of azomethine imines, **103**, 2  
of cyclenones and quinones, **5**, 3  
of cyclic nitrones with alkenes, **94**, 1  
of diazocarbonyl ylides, **80**, 2  
of oxadienes, **101**, 1  
cyclotrimerization of acetylenes, **68**, 1  
Diels-Alder, acetylenes and alkenes, **4**, 2  
Diels-Alder, imino dienophiles, **65**, 2  
Diels-Alder, intramolecular, **32**, 1  
Diels-Alder, maleic anhydride, **4**, 1

- Cycloaddition reactions, (*Continued*)  
of enones, **44**, 2  
of ketenes, **45**, 2; **82**, 2  
of nitrones and alkenes, **36**, 1  
Kinugasa reaction, **114**, 2  
Pauson-Khand, **40**, 1  
photochemical, **44**, 2  
retro-Diels-Alder reaction, **52**, 1; **53**, 2  
Cycloalkenes, synthesis  
by olefin ring-closing metathesis, **89**, 1  
Cyclobutanes, synthesis:  
by ketene cycloaddition, **87**, 2  
by thermal cycloaddition reactions, **12**, 1  
from nitrile-stabilized carbanions, **31**  
synthesis of, **44**, 2  
Cycloheptadienes, from  
divinylcyclopropanes, **41**, 1  
polyhalo ketones, **29**, 2  
Cyclooligomerization, **102**, 2  
 $\pi$ -Cyclopentadienyl transition metal  
carbonyls, **17**, 1  
Cyclopentenones:  
annulation, **45**, 1  
synthesis, **40**, 1; **45**, 1; **104**, 2  
Cyclopropanation, **57**, 1; **77**, 1  
Cyclopropane carboxylates, from  
diazoacetic esters, **18**, 3  
Cyclopropanes:  
from  $\alpha$ -diazo carbonyl compounds, **26**, 2;  
**57**, 1  
from carboxylic acid derivatives, **77**, 1  
from metal-catalyzed decomposition of  
diazo compounds, **57**, 1  
from nitrile-stabilized carbanions, **31**, 1  
from tosylhydrazones, **23**, 3  
from unsaturated compounds, methylene  
iodide and zinc-copper couple,  
**20**, 1; **58**, 1; **58**, 2  
Cyclopropanols, synthesis of, **77**, 1  
Cyclopropenes, synthesis of, **18**, 3  
Cyclopropylamines, **77**, 1  
  
Darzens glycidic ester condensation, **5**, 10;  
**31**, 1  
DAST, **34**, 2; **35**, 3  
Dealkoxycarbonylation of activated esters,  
**81**, 1  
Deamination of aromatic primary amines,  
**2**, 7  
Debenzylation, **7**, 5; **18**, 4  
Decarboxylation:  
of acids, **9**, 5; **19**, 4  
of esters, **81**, 1  
Dehalogenation of  $\alpha$ -halo acyl halides, **3**, 3  
Dehydrogenation:  
in Saegusa reaction, **98**, 1  
in synthesis of ketenes, **3**, 3  
in synthesis of acetylenes, **5**, 1  
Demjanov reaction, **11**, 2  
Dendrimer synthesis, **109**, 1  
Deoxygenation:  
of alcohols, **77**, 2  
of vicinal diols, **30**, 2; **77**, 2  
Deprotonations by chiral lithium amides,  
**79**, 2  
Desoxybenzoins, conversion to benzoins,  
**4**, 5  
Dess-Martin oxidation, **53**, 1  
Desulfonylation reactions, **72**, 2  
Desulfurization:  
of  $\alpha$ -(alkylthio)nitriles, **31**  
in alkene synthesis, **30**, 2  
with Raney nickel, **12**, 5  
Desymmetrization, **104**, 1; **110**, 2  
Diazo compounds, carbenoids derived from,  
**57**, 1; **75**, 2  
Diazoacetic esters, reactions with alkenes,  
alkynes, heterocyclic and aromatic  
compounds, **18**, 3; **26**, 2  
 $\alpha$ -Diazo carbonyl compounds:  
conversion to carbonyl ylides, **80**, 2  
in cyclopropanation reactions, **57**, 1  
insertion and addition reactions, **26**, 2;  
**80**, 1  
preparation of, **57**, 1; **80**, 1  
Diazomethane:  
in Arndt-Eistert reaction, **1**, 2  
reactions with aldehydes and ketones,  
**8**, 8  
Diazonium fluoroborates, synthesis and  
decomposition, **5**, 4  
Diazonium salts:  
coupling with aliphatic compounds,  
**10**, 1, 2  
in deamination of aromatic primary  
amines, **2**, 7  
in Meerwein arylation reaction, **11**, 3;  
**24**, 3



- in ring closure reactions, **9**, **7**
- in synthesis of biaryls and aryl quinones, **2**, **6**
- Diboration:
  - application of, **105**, **2**
  - geminal, **105**, **2**
  - reagents, **105**, **2**
  - vicinal, **105**, **2**
- 1,4-Dicabonyl compounds from furans, **87**, **1**
- Dieckmann condensation, **1**, **9**; **15**, **1**
  - for synthesis of tetrahydrothiophenes, **6**, **9**
- Diels-Alder reaction:
  - hetero-Diels-Alder reaction, **101**, **1**
  - intramolecular, **32**, **1**
  - retro-Diels-Alder reaction, **52**, **1**; **53**, **2**
  - with alkynyl and alkenyl dienophiles, **4**, **2**
  - with cyclenones and quinones, **5**, **3**
  - with imines, **65**, **2**
  - with maleic anhydride, **4**, **1**
- Dihydro diols, **63**, **2**
- Dihydrofurans, **114**, **1**
- Dihydropyrans, **101**, **1**
- Dihydropyrimidine synthesis, **63**, **1**
- Dihydroxylation of alkenes
  - asymmetric, **66**, **2**
  - hydrogen-bond-mediated, **76**, **1**
- Diimide, **40**, **2**
- Diketones:
  - pyrolysis of diaryl, **1**, **6**
  - reduction by acid in organic solvents, **22**, **3**
  - synthesis by acylation of ketones, **8**, **3**
  - synthesis by alkylation of  $\beta$ -diketone dianions, **17**, **2**
  - synthesis by the Stetter Reaction, **106**, **2**
- Dimethyl sulfide, in oxidation reactions, **39**, **3**
- Dimethyl sulfoxide, in oxidation reactions, **39**, **3**
- Diols
  - deoxygenation of, **30**, **2**
  - chiral, **105**, **3**
  - oxidation of, **2**, **8**
- 1,3-Diol monoesters from  $\beta$ -hydroxy ketones, **86**, **2**
- Dioxetanes, **20**, **2**
- Dioxiranes, **61**, **2**; **69**, **1**
- Dioxygenases, **63**, **2**
- 1,3-Dipoles, **94**, **1**
- Dirhodium catalysts, **75**, **2**
- Divinyl-aziridines, -cyclopropanes, -oxiranes, and -thiiranes, rearrangements of, **41**, **1**
- Doebner reaction, **1**, **8**
- Eastwood reaction, **30**, **2**
- Elbs reaction, **1**, **6**; **35**, **2**
- Electrocyclization, **104**, **2**
- Electrophile-nucleophile coupling, **103**, **3**
- Electrophilic:
  - amination, **72**, **1**
  - fluorination, **69**, **2**
- Enamines, reaction with quinones, **20**, **3**
  - activation of catalytic enantioselective Michael reactions, **90**, **1**
- Enantioselective:
  - aldol reactions, **67**, **1**
  - allylation and crotylation, **73**, **1**
  - boronic acid Mannich reactions, **83**, **2**
  - catalysis, **104**, **1**
  - deprotonation, **79**, **2**
  - Favorskii reaction, **100**, **4**
  - halofunctionalization of alkenes, **105**, **1**
  - hydroamination of alkenes, **88**, **1**
  - hydroformylation, **107**, **1**
  - hydrofunctionalization of alkenes, **100**, **3**
  - hydrogenation of heteroaromatics, **96**, **1**
  - Michael reactions, **90**, **1**
  - ring-closing olefin metathesis, **89**, **1**
  - perfluoroalkyl additions, **91**, **1**
  - rhodium-catalyzed 1,4-additions of organoboranes to electron-deficient alkenes, **93**, **1**
- Ene reaction, in photosensitized oxygenation, **20**, **2**
- Enolates:
  - $\alpha$ -Arylation, **76**, **2**
  - Fluorination of, **69**, **2**
  - $\alpha$ -Hydroxylation of, **62**, **1**
  - in directed aldol reactions, **28**, **3**; **46**, **1**; **51**, **1**
  - rhodium intermediates in rhodium-catalyzed 1,4-additions addition to electron-deficient alkenes, **93**, **1**
- Enone cycloadditions, **44**, **2**

- 1, n-Enyne cycloisomerizations, **92**, 1  
Enzymatic reduction, **52**, 2  
Enzymatic resolution, **37**, 1  
Epoxidation:  
  of alkenes, **61**, 2; **74**, 3  
  of allylic alcohols, **48**, 1  
  with organic peracids, **7**, 7  
Epoxide isomerizations, **29**, 3  
Epoxide  
  carbonylation, **86**, 1  
  deoxygenation of, **111**, 1  
  formation, **48**, 1; **61**, 2; **74**, 3  
  *meso*, **110**, 2  
  migration, **60**, 1  
  reduction of, **111**, 1  
  ring expansion, **86**, 1  
  ring opening, **110**, 2; **111**, 1  
  trifluoroalkylation of, **91**, 1  
Esters:  
  acylation with acid chlorides, **1**, 9  
  alkylation of, **9**, 4  
  alkylidenation of, **43**, 1  
  cleavage via S<sub>N</sub>2-type dealkylation, **24**, 2  
  cyclopropanation of, **77**, 1  
  dealkoxycarbonylation of, **81**, 1  
  dimerization, **23**, 2  
  glycidic, synthesis of, **5**, 10  
  hydrolysis, catalyzed by pig liver esterase, **37**, 1  
  β-hydroxy, synthesis of, **1**, 1; **22**, 4  
  β-keto, synthesis of, **15**, 1  
  reaction with organolithium reagents, **18**, 1  
  reduction of, **8**, 1; **71**, 1  
  synthesis from diazoacetic esters, **18**, 3  
  synthesis by Mitsunobu reaction, **42**, 2  
Ethers, synthesis by Mitsunobu reaction, **42**, 2  
Evans-Tishchenko reaction, **86**, 2  
Exhaustive methylation, Hofmann, **11**, 5  
Extrusion reactions, **78**, 3; **109**, 1  
  
Favorskii rearrangement, **11**, 4  
Ferrocenes, **17**, 1  
Ferrocene-based catalysts for catalytic enantioselective Michael reactions, **90**, 1  
Fischer carbene complexes, **70**, 2  
Fischer indole cyclization, **10**, 2  
  
Fluorinating agents, electrophilic, **69**, 2  
Fluorination of aliphatic compounds, **2**, 2;  
  **21**, 1, 2; **34**, 2; **35**, 3; **69**, 2  
  of carbonyl compounds, **69**, 2  
  of heterocycles, **69**, 2  
Fluorination:  
  by DAST, **35**, 3  
  by N-F reagents, **69**, 2  
  by sulfur tetrafluoride, **21**, 1; **34**, 2  
  catalytic, enantioselective **100**, 12  
  electrophilic, **104**, 3  
  nucleophilic, **104**, 3  
Formylation:  
  by hydroformylation, **56**, 1  
  of alkylphenols, **28**, 1  
  of aromatic hydrocarbons, **5**, 6  
  of aromatic compounds, **49**, 1  
  of non-aromatic compounds, **56**, 2  
Free radical, **111**, 1  
  additions:  
    to alkenes and alkynes to form carbon-heteroatom bonds, **13**, 4  
    to alkenes to form carbon-carbon bonds, **13**, 3  
  deoxygenations, **77**, 2  
Friedel-Crafts catalysts, in nucleoside synthesis, **55**, 1  
Friedel-Crafts reaction, **2**, 4; **3**, 1; **5**, 5; **18**, 1  
Friedländer synthesis of quinolines, **28**, 2  
Fries reaction, **1**, 11  
Furans, oxidative cleavage, **87**, 1  
  
Gattermann aldehyde synthesis, **9**, 2  
Gattermann-Koch reaction, **5**, 6  
Germanes, addition to alkenes and alkynes, **13**, 4  
Glycals,  
  fluorination of, **69**, 2  
  transformation into glycosyl derivatives, **62**, 4  
Glycosides, synthesis of, **64**, 2  
Glycosylating agents, **68**, 2  
Glycosylation,  
  on polymer supports, **68**, 2  
  with catalyst control, **100**, 13  
  with sulfoxides and sulfinates, **64**, 2  
Glycidic esters, synthesis and reactions of, **5**, 10  
Gold catalysis, **92**, 1

- Gold complexes with alkynes, alkenes, and arenes, **92**, 1  
Goldberg arylation, **85**, 1  
Gomberg-Bachmann reaction, **2**, 6; **9**, 7  
Grundmann synthesis of aldehydes, **8**, 5
- Halides, displacement reactions of, **22**, 2;  
**27**, 2  
Halide-metal exchange, **58**, 2; **91**, 1  
Halides, synthesis  
  from alcohols, **34**, 2  
  by chloromethylation, **1**, 3  
  from organoboranes, **33**, 1  
  from primary and secondary alcohols,  
    **29**, 1  
Haller-Bauer reaction, **9**, 1  
Halocarbenes, synthesis and reactions of,  
  **13**, 2  
Halocyclopropanes, reactions of, **13**, 2  
Halogenation, **105**, 1  
Halogen-metal exchange, **100**, 2  
Halogen-metal interconversion reactions,  
  **6**, 7  
 $\alpha$ -Halo ketones, rearrangement of, **11**, 4  
Halosilanes, **75**, 3  
 $\alpha$ -Halo sulfones, synthesis and reactions of,  
  **25**, 1; **62**, 2  
Hauser–Kraus annulations, **107**, 2  
Heck reaction, **27**, 2  
  intramolecular, **60**, 2  
Helicenes, synthesis by photocyclization,  
  **30**, 1  
Heteroarenes, **96**, 1  
Heteroaryl amines, **85**, 1  
Heteroaryl silanes, **75**, 3  
Heteroatom-substituted cyclopropanes,  
  **77**, 1  
Heterocumulenes  
  cycloadditions with, **97**, 1  
*N*-Heterocycles  
  by intramolecular hydroamination of  
    amino alkenes, **88**, 1  
  by olefin ring-closing metathesis, **89**, 1  
  by vinyl and aryl azide cyclizations, **92**, 2  
  carbenes (NHCs), **106**, 2  
  from nitrogen-centered radicals, **108**, 1  
  lithiation-substitution of, **100**, 5  
*O*-Heterocycles, synthesis by olefin  
  ring-closing metathesis, **89**, 1
- Heterocycles  
  synthesis by cycloaddition, **97**, 1  
  synthesis by extrusion, **109**, 1  
  synthesis by enyne cyclo-isomerizations,  
    **92**, 1  
  synthesis by olefin ring-closing  
    metathesis, **89**, 1  
  synthesis by rearrangement, **114**, 1  
Heterocyclic aromatic systems, lithiation of,  
  **26**, 1  
Heterocyclic bases  
  amination of, **1**, 4; **85**, 1  
  in nucleosides, **55**, 1  
Heterodienophiles, **53**, 2  
Hilbert-Johnson method, **55**, 1  
Hoesch reaction, **5**, 9  
Hofmann elimination reaction, **11**, 5; **18**, 4  
Hofmann reaction of amides, **3**, 7, 9  
Homocouplings mediated by Cu, Ni, and Pd,  
  **63**, 3  
Homogeneous hydrogenation catalysts, **24**, 1  
Homologation, **105**, 3  
Hunsdiecker reaction, **9**, 5; **19**, 4  
Hydration of alkenes, dienes, and alkynes,  
  **13**, 1  
Hydrazoic acid, reactions and generation of,  
  **3**, 8  
Hydroacylation, **96**, 2; **100**, 3  
Hydroalkylation, **100**, 3  
Hydroamination of alkenes, alkynes, dienes,  
  and allenes, **88**  
Hydroarylation  
  of alkynes, **103**, 1  
Hydroboration, **13**, 1  
Hydrocarbamoxylation, **96**, 2  
Hydrocyanation  
  of alkenes and alkynes, **75**, 1  
  of conjugated carbonyl compounds, **25**, 3  
Hydroesterification, **96**, 2  
Hydroformylation, **56**, 1; **107**, 1  
Hydrofunctionalization of alkenes  
  by hydrogen-atom transfer, **100**, 7  
  copper-catalyzed, **100**, 3  
Hydrogen cyanide, **25**, 3; **75**, 1  
Hydrogenation catalysts, homogeneous,  
  **24**, 1  
Hydrogenation of C=N functions, **74**, 1  
Hydrogenation of esters, with copper  
  chromite and Raney nickel, **8**, 1  
Hydrohalogenation, **13**, 4

- Hydrosilylation, **75**, 3  
Hydroxyaldehydes, aromatic, **28**, 1  
 $\alpha$ -Hydroxyalkylation of activated olefins, **51**, 2  
Hydroxycyclopropanes, **77**, 1  
 $\alpha$ -Hydroxy ketones:  
  rearrangement, **62**, 3  
  synthesis of, **23**, 2  
Hydroxylation:  
  of enolates, **62**, 1  
  of ethylenic compounds with organic peracids, **7**, 7  
Hydrozirconation of alkynes, **113**, 2  
Hypervalent iodine reagents, **54**, 2; **57**, 2
- Imidates, rearrangement of, **14**, 1  
Imines, additions of allyl, allenyl, propargyl stannanes, **64**, 1  
  additions of cyanide, **70**, 1  
  addition of perfluoroalkyl carbanions, **91**, 1  
  as dienophiles, **65**, 2  
  catalytic asymmetric hydrogenation, **74**, 1  
  cycloadditions, **95**, 2  
  formation by twofold extrusion reactions, **78**, 3  
  synthesis, **70**, 1  
  synthesis by hydroamination of allenes, **88**
- Iminium ions, **39**, 2; **65**, 2; **75**, 4; **90**, 1  
  Addition of perfluoroalkyl carbanions, **91**, 1  
Imino Diels-Alder reactions, **65**, 2  
Indole synthesis:  
  by catalyzed cyclization with alkenes, **76**, 3  
  by catalyzed cyclization with alkynes, **76**, 3  
  by Nenitzescu reaction, **20**, 3  
  by reaction with TosMIC, **57**, 3  
  by reductive cyclization, **111**, 2  
  by styrenyl azide cyclization, **92**, 2  
Intramolecular C–H insertion, **80**, 1  
Intramolecular cycloaddition of oxadienes, **101**, 1  
Ionic hydrogenation, **71**, 1  
Iridium alkylation, **99**, 2  
Iron-catalyzed cross-coupling reactions, **83**, 1  
Iron(III) acetylacetonate (Fe(acac)<sub>3</sub>), **83**, 1  
Isocyanides  
  in the Passerini reaction, **65**, 1  
  in the Ugi reaction, **112a**, **112b**  
  sulfonyl methyl, reactions of, **57**, 3  
Isoquinolines, synthesis of, **6**, 2, 3, 4; **20**, 3  
Isoxazolines, synthesis by [3 + 2]dipolar cycloadditions with alkenes, **94**, 1
- Jacobsen reaction, **1**, 12  
Japp-Klingemann reaction, **10**, 2  
Julia-Kocienski reaction, **95**, 1
- Katsuki-Sharpless epoxidation, **48**, 1  
Ketene cycloadditions, **45**, 2; **82**, 2  
Ketenes and ketene dimers, synthesis of, **3**, 3; **45**, 2; **87**, 2  
  asymmetric cycloadditions, **82**, 2  
  cycloadditions, **45**, 2; **95**, 2  
Ketimines, **99**, 1  
 $\alpha$ -Ketol rearrangement, **62**, 3  
 $\alpha$ -Keto esters as donors in catalytic enantioselective Michael reactions, **90**, 1  
Ketones:  
  acylation of, **8**, 3  
  alkylidenation of, **43**, 1  
  Baeyer-Villiger oxidation of, **9**, 3; **43**, 3  
  cleavage of non-enolizable, **9**, 1  
  comparison of synthetic methods, **18**, 1  
  conversion to amides, **3**, 8; **11**, 1; **78**, 1  
  conversion to fluorides, **34**, 2; **35**, 3  
  cyclic, synthesis of, **2**, 4; **23**, 2  
  cyclization of divinyl ketones, **45**, 1  
  perfluoroalkylation of, **91**, 1  
  reaction with diazomethane, **8**, 8  
  reduction to aliphatic compounds, **4**, 8  
  reduction by:  
    alkoxyaluminum hydrides, **34**, 1  
    organosilanes, **71**, 1  
  reduction in anhydrous organic solvents, **22**, 3  
  synthesis by oxidation of alcohols, **6**, 5; **39**, 3  
  synthesis from acid chlorides and organo-metallic compounds, **8**, 2; **18**, 1  
  synthesis from organoboranes, **33**, 1  
  synthesis from organolithium reagents and carboxylic acids, **18**, 1

- synthesis from  $\alpha,\beta$ -unsaturated carbonyl compounds and metals in liquid ammonia, **23**, 1
- Kindler modification of Willgerodt reaction, **3**, 2
- Kinetic resolution,  
of alcohols and amines, **104**, 1  
of chiral aminoalkenes, **88**
- Kinugasa reaction, **114**, 2
- Knoevenagel condensation, **1**, 8; **15**, 2; **57**, 3
- Koch-Haaf reaction, **17**, 3
- Kornblum oxidation, **39**, 3
- Kostaneki synthesis of chromanes, flavones, and isoflavones, **8**, 3
- Krapcho dealkoxycarbonylation, **81**, 1
- Kulinkovich cyclopropanation, **77**, 1
- Lactams:  
by intramolecular C–H insertion, **80**, 1  
from cyclic ketones, **78**, 1  
by cycloaddition of vinylketene, **87**  
unsaturated, by olefin ring-closing metathesis, **89**, 1
- $\beta$ -Lactams, synthesis of, **9**, 6; **26**, 2; **82**, 1, 2; **87**, 2; **95**, 2; **114**, 2
- Lactones,  
by intramolecular C–H insertion, **80**, 1  
unsaturated, by olefin ring-closing metathesis, **89**, 1
- $\beta$ -Lactones, by ketene cycloaddition, **82**, 2; **87**, 2  
by ring expansion of epoxides, **86**, 1  
synthesis and reactions of, **8**, 7
- $\delta$ -Lactones by ring expansion of epoxides, **86**, 1
- $\gamma$ -Lactones by ring expansion of epoxides, **86**, 1
- Leuckart reaction, **5**, 7
- Lithiation:  
of allylic and benzylic systems, **27**, 1  
by halogen-metal exchange, **6**, 7  
heteroatom facilitated, **26**, 1; **47**, 1  
of heterocyclic and olefinic compounds, **26**, 1  
of *N*-heterocycles, **100**, 5  
with chiral lithium amides, **79**, 2
- Lithioorganocuprates, **19**, 1; **22**, 2; **41**, 2
- Lithium aluminum hydride reductions, **6**, 2  
chirally modified, **52**, 2
- Lithium dialkylamides, **79**, 2
- Lossen rearrangement, **3**, 7, 9
- Macrocycles synthesis,  
by alkyne metathesis, **102**, 2  
by olefin ring-closing metathesis, **89**, 1
- Mannich reaction, **1**, 10; **7**, 3; **75**, 4; **83**, 2
- Matteson reaction, **105**, 3
- McMurry coupling reaction, **82**, 1
- Meerwein arylation reaction, **11**, 3; **24**, 3
- Meerwein-Ponndorf-Verley reduction, **2**, 5
- Mercury hydride method to prepare radicals, **48**, 2
- Metal acetylides, **100**, 4
- Metal-catalyzed reactions,  
hydroacylation, **96**, 2  
hydroamination of alkenes, **88**, 1  
hydrocyanation, **75**, 1  
enantioselective Michael reactions, **90**, 1  
vinyl azide cyclizations, **92**, 2
- Metalations with organolithium compounds, **8**, 6; **26**, 1; **27**, 1
- Metallaphotoredox catalysis, **100**, 8
- Metallocarbenes:  
conversion to carbonyl ylides, **80**, 2  
insertion in C–H bonds, **80**, 1
- Metathesis,  
alkyne, **102**, 2  
olefin ring-closing, **89**, 1
- Methylenation of carbonyl groups, **43**, 1
- Methylenecyclopropane,  
hydroamination of, **88**, 1  
in cycloaddition reactions, **61**, 1
- Methylene-transfer reactions, **18**, 3; **20**, 1; **58**, 1
- Meyer–Schuster rearrangement, **115**, 2
- Michael reaction, **10**, 3; **15**, 1, 2; **19**, 1; **20**, 3; **46**, 1; **47**, 2; **90**, 1
- Microbiological oxygenations, **63**, 2
- Microwave irradiation in,  
olefin ring-closing metathesis reactions, **89**, 1  
enantioselective Michael reactions, **90**, 1
- Mitsunobu reaction, **42**, 2
- Moffatt oxidation, **39**, 3; **53**, 1
- Molybdenum-catalyzed allylic alkylation, **84**, 1
- Morita-Baylis-Hillman reaction, **51**, 2

- Mukaiyama aldol reaction, **98**, 2  
Multicomponent reactions, **112a**, **112b**
- Nagata reaction, **25**, 3  
Natural product synthesis, **98**, 2; **102**, 1; **102**, 2; **114**, 3  
Nazarov cyclization, **45**, 1  
Nebor rearrangement, **78**, 2  
Nef reaction, **38**, 3  
Negishi reaction, **100**, 1  
Nenitzescu reaction, **20**, 3  
Nicholas Reaction, **103**, 3  
Nitrenium ion intermediates in vinyl and aryl azide cyclizations, **92**, 2  
Nitriles:  
  cycloadditions with, **97**, 1  
  cyclopropanation of, **77**, 1  
  formation from:  
    aldehydes, **78**, 1  
    alkenes and alkynes, **75**, 1  
     $\alpha$ -cyano esters, **81**, 1  
    oximes, **35**, 2  
    organoboranes, **33**, 1  
   $\alpha,\beta$ -unsaturated:  
    by elimination of selenoxides, **44**, 1  
    perfluoroalkylation of, **91**, 1  
Nitrile-stabilized carbanions:  
  alkylation and arylation of, **31**, 1  
Nitroamines, **20**, 4  
Nitro alkenes, as acceptors and donors in catalytic enantioselective Michael reactions, **90**, 1  
Nitro compounds, conversion to carbonyl compounds, **38**, 3  
Nitro compounds, synthesis of, **12**, 3  
Nitrogen-centered radicals, **108**, 1  
Nitron-olefin cycloadditions, **36**, 1; **94**, 1  
Nitrones, perfluoroalkylation of, **91**, 1  
Nitrosation, **2**, 6; **7**, 6  
Nitroxide-catalyzed oxidations, **74**, 2  
Norborene, hydroamination of, **88**, 1  
Nucleosides, synthesis of, **55**, 1
- Olefin formation:  
  by reductive elimination of  $\beta$ -hydroxy sulfones, **72**, 2  
  by twofold extrusion reactions, **78**, 3  
  by ring-closing metathesis, **89**, 1
- Olefins:  
  hydroamination of, **88**, 1  
  hydrocyanation of, **75**, 1  
  hydroformylation of, **56**  
  metathesis of, **106**, 1  
  oxidation of, **84**, 2  
  perfluoroalkylation of, **91**, 1  
Oligomerization of 1,3-dienes, **19**, 2  
Oligosaccharide synthesis on polymer support, **68**, 2  
Oppenauer oxidation, **6**, 5  
Organoboranes:  
  formation of carbon-carbon and carbon-heteroatom bonds from, **33**, 1  
  in allylation of carbonyl compounds, **73**, 1  
  in boronic acid Mannich reactions, **83**, 2  
  in cross-coupling reactions, **79**, 1  
  isomerization and oxidation of, **13**, 1  
  reaction with anions of  $\alpha$ -chloro nitriles, **31**, 1  
  rhodium-catalyzed additions to electron-deficient alkenes, **93**, 1  
Organocatalysts, **96**, 1; **100**, 12; **100**, 13; **106**, 2  
Organochromium reagents:  
  addition to carbonyl compounds, **64**, 3; **67**, 2  
  addition to imines, **67**, 2  
Organohypervalent iodine reagents, **54**, 2; **57**, 2  
Organometallic compounds:  
  coupling reactions with electrophiles, **83**, 1  
  of aluminum, **25**, 3  
  of boron, **100**, 15  
  of chromium, **64**, 3; **67**, 2  
  of copper, **19**, 1; **22**, 2; **38**, 2; **41**, 2  
  of lithium, **6**, 7; **8**, 6; **18**, 1; **27**, 1  
  of magnesium and zinc, **100**, 2  
  of magnesium, zinc, and cadmium, **8**, 2  
  of palladium, **27**, 2  
  of silicon, **37**, 2  
  of tin, **50**, 1; **64**, 1; **111**, 1  
  of zinc, **1**, 1; **20**, 1; **22**, 4; **58**, 2  
Organonitriles, **75**, 1  
Organosilane, **102**, 1  
Organosilanols, **75**, 3  
Organosilicon hydride reductions, **71**, 1

- Organotrifluoroborates, in cross-coupling reactions, **79**, 1
- Organozirconocenes, **113**, 2
- Orthogonal reactivity, **97**, 2
- Osmium tetroxide dihydroxylation  
asymmetric, **66**, 2  
hydrogen-bond directed, **76**, 1
- Overman rearrangement of allylic imidates, **66**, 1
- Oxadienes, **101**, 1
- Oxazaborolidine catalysts for enantioselective Michael reactions, **90**, 1
- 1,3-Oxazine-2,4-diones from epoxides, **86**, 1
- 1,3-Oxathiolan-2-ones from epoxides, **68**, 1
- Oxidation:  
by dioxiranes, **61**, 2; **69**, 1  
by oxoammonium and nitroxide catalysts, **74**, 2  
by photooxygenation, **20**, 2  
in Saegusa reaction, **98**, 1  
of alcohols and polyhydroxy compounds, **6**, 5; **39**, 3; **53**, 1  
of aldehydes and ketones,  
Baeyer-Villiger reaction, **9**, 3; **43**, 3  
of amines, phenols, aminophenols, diamines, hydroquinones, and halophenols, **4**, 6; **35**, 2  
of enolates and silyl enol ethers, **62**, 1  
of furans, **87**, 1  
of furfuryl alcohols, **87**, 1  
of  $\alpha$ -glycols,  $\alpha$ -amino alcohols, and polyhydroxy compounds by periodic acid, **2**, 8  
of organoboranes, **13**, 1  
of phenolic compounds, **57**, 2  
with hypervalent iodine reagents, **54**, 2  
with peracids, **7**, 7  
with selenium dioxide, **5**, 8; **24**, 4
- Oxidative decarboxylation, **19**, 4
- Oximes:  
conversion to  $\alpha$ -amino ketones, **78**, 2  
conversion to *2H*-azirines, **78**, 2  
formation by nitrosation, **7**, 6
- Oxoammonium-catalyzed oxidation, **74**, 2
- Oxochromium(VI)-amine complexes, **53**, 1
- Oxo process, **56**, 1
- Oxyamination, **108**, 2
- Oxygenation of arenes by dioxygenases, **63**, 2
- Palladium-catalyzed:  
amination of aryl halides, **100**, 14  
arylation of enolates, **76**, 2  
cross-coupling of:  
organostannanes, **50**, 1  
organotrifluoroborates, **79**, 1  
terminal alkynes, **116**, 1  
enantioselective Michael reactions, **90**, 1  
indole synthesis by cyclization, **76**, 3  
oxidation of alkenes, **84**, 2  
vinylic substitution, **27**, 2
- Palladium intermediates in Heck reactions, **60**, 2
- Passerini reaction, **65**, 1
- Pauson-Khand reaction to prepare cyclopentenones, **40**, 1
- Payne rearrangement, **60**, 1
- Pechmann reaction, **7**, 1
- Peptides, synthesis of, **3**, 5; **12**, 4; **97**, 2
- Peracids, epoxidation and hydroxylation with, **7**, 7  
in Baeyer-Villiger oxidation, **9**, 3; **43**, 3
- Perfluoroalkyl organometallic reagents, **91**, 1
- Perfluoroalkylations, **91**, 1
- Periodic acid oxidation, **2**, 8
- Perkin reaction, **1**, 8
- Persulfate oxidation, **35**, 2
- Petasis borono-Mannich reaction, **83**, 2
- Peterson olefination, **38**, 1
- Phase-transfer catalysis,  
of enantioselective Michael reactions, **90**, 1
- Phenanthrenes, synthesis by photocyclization, **30**, 1
- Phenols, dihydric from phenols, **35**, 2  
oxidation of, **57**, 2  
synthesis from Fischer carbene complexes, **70**, 2
- Phosphinic acids, synthesis of, **6**, 6
- Phosphonic acids, synthesis of, **6**, 6
- Phosphonium salts:  
halide synthesis, use in, **29**, 1  
synthesis and reactions of, **14**, 3
- Phosphorus compounds, addition to carbonyl group, **6**, 6; **14**, 3; **25**, 2; **36**, 2  
addition reactions at imine carbon, **36**, 2
- Phosphorus-containing heterocycles  
synthesis,  
by olefin ring-closing metathesis, **89**, 1

- Phosphoryl-stabilized anions, **25**, **2**  
Photochemical cycloadditions, **44**, **2**  
Photocyclization of stilbenes, **30**, **1**  
  of styrenyl azides, **92**, **2**  
Photooxygenation of olefins, **20**, **2**  
Photoreduction, **77**, **2**  
Photosensitizers, **20**, **2**  
Piancatelli Reaction, **104**, **2**  
Pictet-Spengler reaction, **6**, **3**; **114**, **3**  
Pig liver esterase, **37**, **1**  
Pinacols, by McMurry reaction, **82**, **1**  
Polonovski reaction, **39**, **2**  
Polyalkylbenzenes, in Jacobsen reaction,  
  **1**, **12**  
Polycyclic aromatic compounds, synthesis  
  by photocyclization of stilbenes, **30**, **1**  
Polyene synthesis, **109**, **1**  
Polyhalo ketones, reductive dehalogenation  
  of, **29**, **2**  
Pomeranz-Fritsch reaction, **6**, **4**  
Prévost reaction, **9**, **5**  
Propargylic alcohols, **115**, **2**  
Propargylium-cobalt complexes  
  reductive coupling, **103**, **3**  
Pischorr synthesis, **2**, **6**; **9**, **7**  
Pummerer reaction, **40**, **3**  
Pyranones from furan oxidation, **87**, **1**  
Pyrazolines, intermediates in diazoacetic  
  ester reactions, **18**, **3**  
Pyridinium chlorochromate, **53**, **1**  
Pyrolysis:  
  of amine oxides, phosphates, and acyl  
    derivatives, **11**, **5**  
  of ketones and diketones, **1**, **6**  
  for synthesis of ketenes, **3**, **3**  
  of xanthates, **12**, **2**  
Pyrrole synthesis  
  by reductive cyclization, **111**, **2**  
  by vinyl azide cyclization, **92**, **2**  
Pyrrolidines, by aza-Cope/Mannich reaction,  
  **75**, **4**  
Pyrrolines, **114**, **1**  
  
Quaternary ammonium  
  N-F reagents, **69**, **2**  
  salts, rearrangements of, **18**, **4**  
Quinolines, synthesis of,  
  by Friedländer synthesis, **28**, **2**  
  by Skraup synthesis, **7**, **2**  
  
Quinones:  
  acetoxylation of, **19**, **3**  
  diene additions to, **5**, **3**  
  synthesis from Fischer carbene  
    complexes, **70**, **2**  
  synthesis of, **4**, **6**  
  synthesis of 5-hydroxyindoles, **20**, **3**  
  
Radical addition, allylation, vinylation,  
  **110**, **1**  
Radical formation and cyclization, **48**, **2**;  
  **108**, **1**  
Radical-mediated alcohol deoxygenation,  
  **77**, **2**  
Ramberg-Bäcklund rearrangement, **25**, **1**;  
  **62**, **2**  
Rearrangements:  
  allylic trihaloacetamide, **66**, **1**  
  anion-assisted sigmatropic, **43**, **2**  
  Beckmann, **11**, **1**; **35**, **1**  
  Brook, **102**, **1**  
  Chapman, **14**, **1**; **18**, **2**  
  Claisen, **2**, **1**; **22**, **1**  
  Cloke-Wilson, **114**, **1**  
  Cope, **22**, **1**; **41**, **1**; **43**, **2**  
  Curtius, **3**, **7**, **9**  
  divinylcyclopropane, **41**, **1**  
  Favorskii, **11**, **4**  
  Lossen, **3**, **7**, **9**  
  Meyer-Schuster, **115**, **2**  
  Ramberg-Bäcklund, **25**, **1**; **62**, **2**  
  Smiles, **18**, **2**  
  Sommelet-Hauser, **18**, **4**  
  Stevens, **18**, **4**  
  vinylcyclopropane-cyclopentene, **33**, **2**  
  [2,3] Wittig, **46**, **2**  
Reduction:  
  of acid chlorides to aldehydes, **4**, **7**; **8**, **5**  
  of aromatic compounds, **42**, **1**  
  of benzils, **4**, **5**  
  of ketones, enantioselective, **52**, **2**  
  of *O*-thioacyl derivatives, **77**, **2**  
  Clemmensen, **1**, **7**; **22**, **3**  
  desulfurization, **12**, **5**  
  with diimide, **40**, **2**  
  by dissolving metal, **42**, **1**  
  by homogeneous hydrogenation  
    catalysts, **24**, **1**



- by hydrogenation of esters with copper chromite and Raney nickel, **8**, 1
- hydrogenolysis of benzyl groups, **7**, 5
- by lithium aluminum hydride, **6**, 10
- by Meerwein-Ponndorf-Verley reaction, **2**, 5
  - chiral, **52**, 2
- by metal alkoxyaluminum hydrides, **34**, 1; **36**, 3
- by organosilanes, **71**, 1
- of mono- and polynitroarenes, **20**, 4
- of olefins by diimide, **40**, 2
- of  $\alpha,\beta$ -unsaturated carbonyl compounds, **23**, 1
  - by samarium(II) iodide, **46**, 3
  - by Wolff-Kishner reaction, **4**, 8
- Reductive alkylation, synthesis of amines, **4**, 3; **5**, 7
- Reductive amination of carbonyl compounds, **59**, 1; **71**, 1
- Reductive coupling of carbonyl compounds, **82**, 1
- Reductive cyanation, **57**, 3
- Reductive cyclization, **111**, 2
- Reductive desulfonylation, **72**, 2
- Reductive desulfurization of thiol esters, **8**, 5
- Reformatsky reaction, **1**, 1; **22**, 4
- Regitz deformylation diazo transfer, **80**, 1
- Reimer-Tiemann reaction, **13**, 2; **28**, 1
- Reissert reaction, **70**, 1
- Resolution of alcohols, **2**, 9
- Retro-Diels-Alder reaction, **52**, 1; **53**, 2
- Rhodium-catalyzed:
  - C–H insertion, **80**, 1
  - carbonyl ylide formation, **80**, 2
  - cyclopropanation, **57**, 1
  - 1,4-additions of organoboranes, **93**, 1
- Ring-closing metathesis, **89**, 1
- Ritter reaction, **17**, 3
- Rosenmund reaction for synthesis of arsonic acids, **2**, 10
- Rosenmund reduction, **4**, 7
  
- Saegusa reaction, **98**, 1
- Samarium(II) iodide, **46**, 3
- Sammes annulations, **107**, 2
- Sandmeyer reaction, **2**, 7
- Saturated carbon frameworks, **113**, 1
- Schiemann reaction, **5**, 4
  
- Schmidt reaction, **3**, 8, 9; **78**, 1
- Selenium dioxide oxidation, **5**, 8; **24**, 4
- Seleno-Pummerer reaction, **40**, 3
- Selenoxide elimination, **44**, 1
- Seven-membered rings, **115**, 1
- Shapiro reaction, **23**, 3; **39**, 1
- Silanes:
  - addition to olefins and acetylenes, **13**, 4
  - electrophilic substitution reactions, **37**, 2
  - oxidation of, **69**, 1
  - reduction with, **71**, 1; **77**, 2
- Silanolate salts, **75**, 3
- Sila-Pummerer reaction, **40**, 3
- Siliconates, **75**, 3
- Silicon-based cross-coupling, **75**, 3
- Silicon-containing heterocycles synthesis, by ring-closing metathesis, **89**, 1
- Silver salt catalysis, **92**, 1
- Silyl carbanions, **38**, 1
- Silyl compounds, cross-coupling of, **75**, 3
- Silyl enol ethers,  $\alpha$ -hydroxylation of, **62**, 1
  - in catalytic, enantioselective Michael reactions, **90**, 1
- Silyl migration, **102**, 1
- Simmons-Smith reaction, **20**, 1; **58**, 1
- Simonini reaction, **9**, 5
- Singlet oxygen, **20**, 2; **87**, 1
- Skraup synthesis, **7**, 2; **28**, 2
- Smiles rearrangement, **18**, 2; **95**, 1
- Solid-Phase synthesis:
  - of cyclic alkenes by olefin ring-closing metathesis, **89**, 1
  - of dihydropyrans **101**, 1
  - of indoles, **76**, 3
- Sommelet-Hauser rearrangement, **18**, 4
- Sommelet reaction, **8**, 4
- Sonogashira reaction, **116**, 1
- $S_{RN}1$  reactions of aromatic systems, **54**, 1
- Staudinger-Pfenniger reaction, **78**, 3
- Staudinger synthesis of  $\beta$ -lactams, **82**, 2; **95**, 2
- Staunton–Weinreb annulations, **107**, 2
- Stereocenters, contiguous, **110**, 2
- Stereoselectivity, **98**, 2; **108**, 1
- Stereospecific displacement, **105**, 3
- Stetter reaction of aldehydes with olefins, **40**, 4; **106**, 2
- Stevens rearrangement, **18**, 4
- Strecker reaction, catalytic asymmetric, **70**, 1

- Stilbenes, photocyclization of, **30**, 1  
hydroamination of, **88**, 1  
Stille reaction, **50**, 1  
Stobbe condensation, **6**, 1  
Styrenyl azide cyclizations, **92**, 2  
Substitution  
allylic, **99**, 2  
of *N*-heterocycles, **100**, 5  
with organocopper reagents, **22**, 2; **41**, 2  
Succinic anhydrides from epoxides, **86**, 1  
Sugars, synthesis by glycosylation with  
sulfoxides and sulfinates, **64**, 2  
Sulfide reduction of nitroarenes, **20**, 4  
Sulfonation of aromatic hydrocarbons and  
aryl halides, **3**, 4  
Sulfur-containing heterocycles synthesis,  
by olefin ring-closing metathesis, **89**, 1  
Supramolecular compounds synthesis,  
by olefin ring-closing metathesis, **89**, 1  
Suzuki-Miyaura cross-coupling, **79**, 1;  
**100**, 9  
Swern oxidation, **39**, 3; **53**, 1  
  
Tamura annulations, **107**, 2  
Tandem heterocycloaddition reactions,  
**101**, 1  
Tandem olefin metathesis reactions, **89**, 1  
Tetrahydroisoquinolines, synthesis of, **6**, 3  
Tetrahydrothiophenes, synthesis of, **6**, 9  
1,2,4-Thiadiazoles as extrusion  
intermediates, **78**, 3  
Thia-Payne rearrangement, **60**, 1  
Thiazoles, synthesis of, **6**, 8  
Thiele-Winter acetoxylation of quinones,  
**19**, 3  
Thioacylation of alcohols, **77**, 2  
Thiocarbonates, synthesis of, **17**, 3; **77**, 2  
Thiocyanation of aromatic amines, phenols,  
and polynuclear hydrocarbons, **3**, 6  
Thiophenes, synthesis of, **6**, 9  
Thiourea catalysts  
in enantioselective Michael reactions,  
**90**, 1  
in Pictet-Spengler reactions, **114**, 3  
Thorpe-Ziegler condensation, **15**, 1; **31**  
Tiemann reaction, **3**, 9  
Tiffeneau-Demjanov reaction, **11**, 2  
Tin(II) enolates, **46**, 1; **110**, 1  
Tin hydride method to prepare radicals, **48**, 2  
  
Tipson-Cohen reaction, **30**, 2  
Tishchenko reaction, **86**, 1  
Titanium, low valent species in coupling,  
**82**, 1  
Tosylhydrazones, **23**, 3; **39**, 1  
Tosylmethyl isocyanide (TosMIC), **57**, 3  
Transfer hydrogenation, **100**, 6  
Transition metal complexes as catalysts for  
alkyl-alkyl cross-coupling, **113**, 1  
C–F bond formation, **104**, 3  
C–H activation reactions, **100**, 11  
C–H functionalization, **100**, 10  
cross-metathesis of alkenes, **106**, 1  
cycloadditions, **97**, 1  
enantioselective hydrogenation, **96**, 1  
enantioselective Michael reactions, **90**, 1  
glycosylation, **100**, 13  
hydroacylation, **96**, 2  
hydroamination of alkenes, **88**, 1  
hydroarylation of alkynes, **103**, 1  
Transmetallation reactions, **58**, 2; **100**, 2;  
**113**, 2  
Tributylstannane, in xanthate reduction, **77**, 2  
Tricarbonyl( $\eta^6$ -arene)chromium complexes,  
**67**, 2  
Trihaloacetimidate, allylic rearrangements,  
**66**, 1  
Trifluoroborates, in cross-coupling reactions,  
**79**, 1  
Trifluoromethylation, **91**, 1  
Trifluoromethyl carbanion, **91**, 1  
Trifluoromethyl lithium, **91**, 1  
Trimerization, co-, acetylenic compounds,  
**68**, 1  
Trimethylenemethane, [3 + 2] cycloaddition  
of, **61**, 1  
Trimethylsilyl cyanide, **75**, 1  
Tryptamines, **114**, 3  
  
Ugi reaction, **112a**, **112b**  
Ullmann reaction, **2**, 6; **14**, 1; **63**, 3; **85**, 1  
Unsaturated compounds, synthesis  
with alkenyl- and alkynylaluminum  
reagents, **32**, 2  
  
Vilsmeier reaction, **49**, 1; **56**, 2  
Vinylcyclopropanes, rearrangement to  
cyclopentenes, **33**, 2

- Vinyl diazoacetates, **75**, 2  
Vinyl lithium reagents, from  
  sulfonylhydrazones, **39**, 1  
Vinylketenes  
  preparation of, **87**, 2  
  electrocyclization of, **87**, 2  
Vinyl group, **98**, 2  
Vinylsilanes, electrophilic substitution  
  reactions of, **37**, 2  
Vinylstannanes, **110**, 1  
Vinyltrifluoroborates, **79**, 1  
Vinyl substitution, catalyzed by palladium  
  complexes, **27**, 2  
von Braun cyanogen bromide reaction, **7**, 4  
Vorbrüggen reaction, **55**, 1  
  
Wacker oxidation, **84**, 2  
Watanabe-Cenini-Söderberg reaction, **111**, 2  
  
Willgerodt reaction, **3**, 2  
Wittig reaction, **14**, 3; **31**, 1  
[2,3]-Wittig rearrangement, **46**, 2  
Wolff-Kishner reaction, **4**, 8  
  
Xanthates:  
  in the Barton-McCombie reaction, **77**, 2  
  synthesis and reactions of, **12**, 2; **77**, 2  
  
Ylides:  
  in Stevens rearrangement, **18**, 4  
  in Wittig reaction, structure and  
  properties, **14**, 3  
  
Zinc-copper couple, **20**, 1; **58**, 1, 2  
Zinin reduction of nitroarenes, **20**, 4